tehnoteka

https://tehnoteka.rs

Informacije o proizvodu

GORENJE aspirator WHT941A2XBG

gorenje

Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/gorenje-aspirator-wht941a2xbg-akcija-cena/

WHT941A2XBG

Freestanding wall decorative cooker hood



- AdaptAir
- Polyurethane filter
- AdaptTech
- TouchFree coating
- Timer and refresh
- LedLight
- Re-circulating hoods
- Noise level

Wall mounted cooker hood

Venting with air extraction or recirculation

Energy class: **B**

Material of housing/chimney: **stainless steel and glass / stainless steel**

Colour of housing/chimney: **stainless steel and black glass / stainless steel**

Lightning efficiency class: **A**

Grease filtering efficiency class: **B**

Fluid dynamic efficiency class: **B**

Maximum extraction rate by extraction operation: **462 m³/h**

Maximum extraction rate by recirculation operation: **287 m³/h**

Venting tube diameter: **15 cm**

Air flow by extraction version, step 1: **221 m³/h**

Air flow by extraction version, step 2: **314 m³/h**

Air flow by extraction version, step 3: **462 m³/h**

AdaptTech: Automatic fan operation

Electronic control

Control setting: **Touch control**

Timer function

Number of speed positions: **3**

TouchFree Inox

Constant ventilation ReFresh

Lamp type: **LED**

Dimmer function

Number of lights: **2**

Power of lights: **5 W**

Airflow boost position (PowerBoost 1) - extraction: **627 m³/h**

Airflow boost position (PowerBoost 2) - extraction: **763 m³/h**

Airflow boost position (PowerBoost 1) – recirculation: **310 m³/h**

Airflow boost position (PowerBoost 2) - recirculation: **320 m³/h**

Filter material: **Washable stainless steel with polyurethane foam and flaps**

Highly efficient filter: **AdaptAir**

Grease filter indicator

Coal filter code (optional as separate purchase): **197465**

Number of filters: **3**

Recirculation set number: **493629**

Motor type: **Capacitor motor**

Number of motors: **1**

Number of PowerBoost functions: **2**

No return airflow flap: **150 mm**

Max. noise level: **62 dB(A)re 1 pW**

Height: **59 mm**

Min. height of the chimney: **577 mm**

Max. height of the chimney: **1,117 mm**

Annual energy consumption: **77.7 kWh**

Dimensions (W×H×D): **89.8 × 5.9 × 45.6 cm**

Dimensions of packed product (W×H×D): **94.5 × 66.5 × 47.5 cm**

Net weight: **21 kg**

Gross weight: **26 kg**

http://www.gorenje-kh.com/en/product/474621

Connected load: **265 W**

Nominal current of fuse: **10 amp**

Product code: **474621**

EAN code: **3838942011313**

tehnoteka

https://tehnoteka.rs

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Gorenje, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/gorenje-aspirator-wht941a2xbg-akcija-cena/