

Informacije o proizvodu (EN)

CHIEFTEC napajanje GPX-750FC



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chiefttec-napajanje-gpx-750fc-akcija-cena/>

- 80 PLUS® Gold certified efficiency
- Fully modular cable management
- Full-bridge LLC converter with DC-to-DC technology
- Low ripple and tight voltage regulation
- 5-year warranty

With the PowerUp series, Chieftec aims to bring the well-received technical quality and high performance of the PowerPlay series to the mainstream gamer's market. With modern full-bridge LLC and DC-to-DC technology, extremely low ripple values and tight voltage regulation can be achieved.

A high power-density design allows this series to deliver up to 850W of power in a compact form factor, measuring only 14 cm in total length, while achieving **80 PLUS® Gold certified efficiency**. The compact size combined with the fully modular cable management, allows the PowerUp series to be used conveniently in smaller builds, where a short PSU is needed, while long, flat, black cables support builds even in very large gaming cases.






Technical data	
Model	PowerUp 750W
Article no.	GPX-750FC
ATX 12V version	V2.53
Efficiency	80 PLUS® Gold
PFC	Active PFC
Fan	120mm silent fan
Dimension (DxWxH)	140mm x 150mm x 86mm
Security	AFC (Automatic Fanspeed Control) OCP (Over Current Protection) OPP (Over Power Protection) OTP (Over Temperature Protection) OVP (Over Voltage Protection) SCP (Short-Circuit Protection) SIP (Surge & Inrush Protection) UVP (Undervoltage Protection)
Warranty	60 months

Output data						
PowerUp 750W	AC Input	100-240V / 47 - 63Hz / 10.0A				
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB
	Max. Current	20.0A	20.0A	62.0A	0.3A	2.5A
	Max. Combined Power	110W		744W	3.6W	12.5W
		750W				

* The listed specifications may be altered at any point in time without any pre-notice.

** Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

Version: 11/2020

	Cable	Connectors	Length (mm)
	24 PIN ATX	1	650
	8 PIN PCIe (6+2)	4	2x 500/150
	8 PIN CPU (4+4)	2	650/150
	SATA	9	3x 500/150/150
	Molex	3	500/150/150/150
	Floppy	1	

Certification



Version: 11/2020

* The listed specifications may be altered at any point in time without any pre-notice.

** Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-napajanje-gpx-750fc-akcija-cena/>