

Informacije o proizvodu (EN)

Be Quiet napajanje System Power 9 CM BN302 600W

be quiet!



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/be-quiet-napajanje-system-power-9-cm-bn302-600w-akcija-cena/>



SYSTEM POWER 9

PROVEN RELIABILITY AND GOOD EFFICIENCY

700W CM • 600W CM • 500W CM • 400W CM

IDEAL APPLICATIONS

Office applications
Entry-level gaming systems
Multimedia and home theater systems

HIGHLIGHTS

80 PLUS® Bronze efficiency
DC-to-DC technology
Quiet operation

Proven Reliability and Good Efficiency

The be quiet! System Power 9 series offers renowned be quiet! reliability and quietness for price-conscious PC builders.

Highlights »

- Rock-solid stability with two strong 12V-rails
- DC-to-DC technology for tight voltage regulation
- Up to four PCIe connectors for powerful GPUs
- Temperature-controlled 120mm fan reduces system noise
- Stand-by drain of less than 0.15 watts
- 80 PLUS Bronze efficiency (up to 89%)
- Semi-modular, high-quality sleeved and flat cables
- All-in-one cable with S-ATA, HDD and FDD connectors
- Complete suite of top safety features
- Meets latest Intel® C6/C7, ErP and Energy Star 6.1 guidelines
- 3-year manufacturer's warranty
- Product conception, design and quality control in Germany

System Power 9 CM »

Simply the best price-conscious choice for stability, performance and quietness.



SYSTEM POWER 9

PROVEN RELIABILITY AND GOOD EFFICIENCY

Technical Data »

IN GENERAL	Model	700W CM	600W CM	500W CM	400W CM
	Voltage (Vac) / Frequency (Hz)	200-240 / 50	200-240 / 50	200-240 / 50	200-240 / 50
	Dimensions (L x W x H)	140 x 150 x 86	140 x 150 x 86	140 x 150 x 86	140 x 150 x 86
	ATX 12V 2.51 / EPS 12V 2.92	✓ / ✓	✓ / ✓	✓ / -	✓ / -
	High-quality fan (mm)	120	120	120	120
	Noise level (dB(A)) at 20 / 50 / 100% load	9.7 / 14.1 / 31.7	9.7 / 11.5 / 28.1	9.7 / 11.5 / 24.4	9.3 / 9.7 / 15
	12V-rails	2	2	2	2
	Power Good signal	100-150ms	100-150ms	100-150ms	100-150ms
	PFC	active	active	active	active
	Efficiency (%) at 230V	80 PLUS Bronze 230V EU internal / up to 89%	80 PLUS Bronze 230V EU internal / up to 89%	80 PLUS Bronze 230V EU internal / up to 89%	80 PLUS Bronze 230V EU internal / up to 89%
	Energy Star 6.1 compatible	✓	✓	✓	✓
	ErP ready / Power in stand-by (W)	✓ / 0.15	✓ / 0.15	✓ / 0.15	✓ / 0.15
	OCP, OVP, UVP, SCP, OPP, OTP	✓	✓	✓	✓
	Lifetime of PSU at 25°C (h)	100,000	100,000	100,000	100,000
CABLES	No. of cables	7	7	6	5
	Maximum cable length (cm)	103	103	103	103
	Length of ATX-connection cable (cm)	55	55	55	45
	Sleeved cables	✓	✓	✓	✓
CONNECTORS	ATX motherboard (20+4-pin)	✓	✓	✓	✓
	PCI express (6+2-pin)	4	4	2	2
	P8-/P4-connector	1x P4+4	1x P4+4	1x P4+4	1x P4+4
	S-ATA	10	10	6	5
	P-ATA	2	2	2	2

Output Data »


SYSTEM POWER 9 700W CM	AC Input	200–240Vac 50Hz 6A					
	DC Output	3.3V	5V	12V1	12V2	-12V	5VSB
	Max. Current	24A	15A	33A	25A	0.3A	3A
		56A					
	Max. Com- bined Power	130W		672W		3.6W	15W

SYSTEM POWER 9 500W CM	AC Input	200–240Vac 50Hz 4A					
	DC Output	3.3V	5V	12V1	12V2	-12V	5VSB
	Max. Current	24A	15A	24A	20A	0.3A	3A
		38A					
	Max. Com- bined Power	110W		456W		3.6W	15W

SYSTEM POWER 9 600W CM	AC Input	200–240Vac 50Hz 6A					
	DC Output	3.3V	5V	12V1	12V2	-12V	5VSB
	Max. Current	24A	15A	28A	22A	0.3A	3A
		48A					
	Max. Com- bined Power	120W		576W		3.6W	15W

SYSTEM POWER 9 400W CM	AC Input	200–240Vac 50Hz 4A					
	DC Output	3.3V	5V	12V1	12V2	-12V	5VSB
	Max. Current	24A	15A	22A	18A	0.3A	3A
		32A					
	Max. Com- bined Power	103W		384W		3.6W	15W

Cable length to first connector



700W CM	600W CM	500W CM	400W CM
550mm	550mm	550mm	450mm
600mm	600mm	600mm	600mm
550mm	550mm	550mm	550mm
550mm 2x	550mm 2x	550mm	-
-	-	-	550mm
500mm 2x	500mm 2x	-	500mm
-	-	500mm 2x	-

Logistics data »

Region	Model	Article no	EAN code
EU	System Power 9 400W CM	BN300	4260052187210
EU	System Power 9 500W CM	BN301	4260052187227
EU	System Power 9 600W CM	BN302	4260052187234
EU	System Power 9 700W CM	BN303	4260052187241
AU	System Power 9 400W CM	BN918	4260052187449
AU	System Power 9 500W CM	BN919	4260052187456
AU	System Power 9 600W CM	BN920	4260052187463
AU	System Power 9 700W CM	BN921	4260052187470

Certifications »



Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 0000025878



Contact »

be quiet! Headquarters

Service hotline: +49 40 7367 686 44

Listan GmbH
Wilhelm-Bergner-Straße 11c
21509 Glinde
Germany

e-mail: service@bequiet.com
Visit the contact section on bequiet.com
for the right regional service information.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Be quiet!, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/be-quiet-napajanje-system-power-9-cm-bn302-600w-akcija-cena/>