

Informacije o proizvodu (EN)

LC-Power napajanje LC6750M V3.0 Super Silent

LCPOWER



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/lc-power-napajanje-lc6750m-v30-super-silent-akcija-cena/>



LC6750M V3.0

Super Silent Modular Series ATX power supply with 750 W

The LC6750M V3.0 is an 80 PLUS® GOLD certified, fully modular ATX power supply, which offers your system high stability and performance.

- ATX form factor
- 750 W
- 135 mm fan
- full modular cable management
- black sleeved cables
- 80 PLUS® GOLD certified
- high efficiency up to 90 %
- full range: 100 - 240 V
- DC-to-DC technology
- high-performance +12 V rail (62,4 A)
- 4x PCI-Express 6+2 pin
- **1x PCI-Express 5.0 12+4 pin**

Technical specification - LC6750M V3.0

Dimension (PSU): 86 x 151 x 150 mm
 Dimension (package): 115 x 275 x 200 mm
 Weight (product/overall): 2,66 / 2,97 kg
 Fan: 135 mm

Connectors:
 20+4 pin mainboard: 1x 650 mm
 4+4 pin mainboard 12 V (8 pin EPS): 2x 650 mm
 4 pin mainboard 12 V: 1x 800 mm
 PCI-Express 5.0 12+4 pin: 1x 600 mm
 PCI-Express 6+2 pin: 2x 675 mm / 2x 750 mm
 SATA: 3x 500 mm / 3x 650 mm / 2x 800 mm / 2x 950 mm
 PATA: 1x 350 mm / 2x 500 mm / 1x 650 mm / 1x 800 mm

Power rating:

Form factor: ATX, Version 3.0
 PFC: active
 Full range: 100 - 240 V
 Standby: < 0,5 W
 Efficiency: up to 90 %
 Certified: 80 PLUS® GOLD
 Security circuitries: OVP (Over-Voltage Protection), OCP (Over-Current Protection), OPP (Over-Power Protection), SCP (Short-Circuit Protection), UVP (Under-Voltage Protection)
 Material: metal, plastic
 Mark of conformity: CE, TÜV
 Colour: hammered black
 Barcode: 4262443280289
 Manufacturer code: LC6750M V3.0

AC Input	100,0-240,0 V ~ 10,0 A 50-60 Hz Active PFC ATX V3.0				
DC Output	+3,3 V	+5,0 V	+12,0 V	-12,0 V	+5,0 Vsb
Output Current	20,0 A	20,0 A	62,4 A	0,4 A	3,0 A
Combined Output Power	100,0 W		748,8 W	4,8 W	15,0 W
Max. Combined	750,0 W				

*How to use SATA & PATA:
 10x SATA & 0x PATA; 8x SATA & 3x PATA; 4x SATA & 5x PATA

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda LC-Power, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/lc-power-napajanje-lc6750m-v30-super-silent-akcija-cena/>