

## Informacije o proizvodu (EN)

DELL monitor 27" IPS SE2726H



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/dell-monitor-27-ips-se2726h-akcija-cena/>



# Breeze through everyday tasks

Dell 27 Monitor

MODEL: SE2726H

The world's # 1 monitor company\*



Breeze through everyday tasks on this 27-inch monitor with 144Hz refresh rate, 1ms Moving Picture Response Time (MPRT), and TÜV 3-star certification for eye comfort.

### Built for eye comfort and smooth visuals

Enjoy seamless, smooth motion across your work or while streaming content. Prioritize visual comfort with this TÜV Rheinland 3-star<sup>1</sup> display. A high 144Hz refresh rate and a 1ms Moving Picture Response Time (MPRT) deliver a clear, tear-free viewing experience.

### Dependable from every angle

Contemporary design with thin bezels mean you see more with less distraction for better way to work or play.

Get superb clarity in FHD resolution with minimized reflections. With In-Plane Switching (IPS) technology, these monitors offer a wide 178°/178° viewing angle, so you can experience excellent color accuracy and consistency.

### Functional, space-saving design

Effortlessly switch between streaming and casual gaming with the built-in dual HDMI connectivity ports.

This monitor features a small footprint and built-in power supply unit and cable holder to keep your space neat and organized. You can easily tilt the monitor to get just the right viewing angle or hook it up with a compatible VESA mount.

**Improved visual comfort**

Prioritise visual comfort with this TÜV Rheinland 3-star display. Reduce harmful blue light emissions and maintain stunning image quality without compromising colours.

**Dependable from every angle**

See excellent color accuracy and consistency across wide viewing angles with In-plane Switching (IPS) technology.

**Space-saving design**

Keep your space neat with this small footprint monitor featuring a built-in power supply unit and cable holder.

**Switch inputs seamlessly**

Effortlessly switch between streaming and casual gaming with the built-in dual HDMI connectivity ports.

**World's number 1 monitor company\***

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.



# Designed with Sustainability in mind

## Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor helps reduce waste with a design made from recycled materials with up to 95% post-consumer recycled plastic, up to 50% recycled steel and 20% recycled glass<sup>[1]</sup>.

## Packaging with purpose

This monitor ships in a box made from 100% recycled or renewable materials. We are reducing paper usage in monitors packaging, which is the equivalent to saving 545 trees annually<sup>[2]</sup>.

## Environmental standards

This monitor is certified ENERGY STAR<sup>®4</sup> meaning it meets high standards for energy efficiency.

<sup>1</sup> Percentage is based on plastic weight. Based on internal analysis, October 2025. Made with up to 95% post-consumer recycled plastic, up to 50% recycled steel in the monitor head and stand, and up to 20% recycled glass in the display.

<sup>2</sup> Based on internal analysis, September 2025. Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. January 2025, introduced cushions now made from corrugated materials. Paper reduction applies to all Monitors shipping in 2026. Reductions in paper usage in monitor packaging is attributed to the quick start guide size reduction and calibration sheet digitisation. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. <https://www.omnicalculator.com/everyday-life/paper-weight>.

# Ports & Slots



- 1 Security lock slot<sup>1</sup>
- 2 Power connector
- 3 2x HDMI (HDCP 1.4 supports up to 1920 x 1080)

#### Cables included

- Power cable
- HDMI cable

| FEATURE                                    | TECHNICAL SPECIFICATION                                                                                                                     |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| MODEL                                      | Dell 27 Monitor - SE2726H                                                                                                                   |
| DIAGONAL VIEWING SIZE                      | 686.0 mm (27.0 in.)                                                                                                                         |
| PANEL TYPE                                 | In-Plane Switching (IPS) Technology                                                                                                         |
| MAXIMUM PRESET RESOLUTION AND REFRESH RATE | 1920 x 1080 up to 144Hz                                                                                                                     |
| VIEWING ANGLE                              | 178° vertical<br>178° horizontal                                                                                                            |
| PIXEL PITCH                                | 0.3114 mm x 0.3114 mm                                                                                                                       |
| PIXEL PER INCH (PPI)                       | 81                                                                                                                                          |
| CONTRAST RATIO                             | 1000:1 (typical)                                                                                                                            |
| ASPECT RATIO                               | 16:9                                                                                                                                        |
| BACKLIGHT TECHNOLOGY                       | LED Edgelight System                                                                                                                        |
| BRIGHTNESS                                 | 300 cd/m <sup>2</sup> (typical)                                                                                                             |
| RESPONSE TIME                              | • 1 milliseconds (gray to gray - MPRT mode)<br>• 4 milliseconds (gray to gray - fast mode)<br>• 8 milliseconds (gray to gray - normal mode) |
| COLOR GAMUT                                | NTSC minimum 72% (CIE 1931)                                                                                                                 |
| COLOR DEPTH                                | 16.7 Million colors                                                                                                                         |
| TÜV RHEINLAND EYE COMFORT                  | 3-Stars                                                                                                                                     |
| CONNECTIVITY                               | • 2 HDMI (HDCP 1.4) (supports up to FHD 1920 x 1080 144Hz as per specified in HDMI 1.4)                                                     |
| ADJUSTABILITY                              | Tilt -5°/+21°                                                                                                                               |
| DISPLAY SCREEN COATING                     | Anti-glare with hard-coating 3H                                                                                                             |
| DAISY CHAIN AVAILABILITY                   | Not Applicable                                                                                                                              |
| SOFTWARE COMPATIBILITY                     | Not Applicable                                                                                                                              |
| VOLTAGE REQUIRED                           | 100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1.5 A (typical)                                                                                    |
| POWER CONSUMPTION                          | • 0.3 W (Off mode)<br>• 0.3 W (Standby mode)<br>• 15.0 W (On mode) <sup>1</sup><br>• 35.0 W (Max)<br>• 17.0 W (Typical)                     |
| AUDIO OUTPUT                               | Not Applicable                                                                                                                              |
| VARIABLE REFRESH RATE                      | AMD FreeSync™                                                                                                                               |

| FEATURE                               | TECHNICAL SPECIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HEIGHT WITH STAND                     | 453.71 mm (17.86 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| WIDTH WITH STAND                      | 611.10 mm (24.06 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| DEPTH WITH STAND                      | 199.87 mm (7.87 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| HEIGHT WITHOUT STAND                  | 361.86 mm (14.25 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| WIDTH WITHOUT STAND                   | 611.10 mm (24.06 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| DEPTH WITHOUT STAND                   | 49.22 mm (1.94 in.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| WEIGHT (WITH PACKAGING)               | 6.26 kg (13.79 lb)                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| WEIGHT (PANEL ONLY - FOR VESA MOUNT)  | 3.61 kg (7.95 lb)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| WEIGHT WITH STAND ASSEMBLY AND CABLES | 4.46 kg (9.83 lb)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| FLAT PANEL MOUNT INTERFACE            | VESA (100 mm x 100 mm)                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| SECURITY                              | Security lock slot (cable lock sold separately)                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| COMPLIANT STANDARDS                   | <ul style="list-style-type: none"> <li>ENERGY STAR 8.0</li> <li>RoHS Compliant</li> <li>Product Safety, EMC and Environmental Datasheets</li> <li>Dell Regulatory Compliance Home Page</li> <li>Dell and the Environment</li> <li>TÜV Rheinland Eye Comfort 3-Stars</li> <li>BFR/PVC reduce monitor. (The circuit boards are made from BFR/PVC-free laminates.)</li> <li>Meets NFPA 99 leakage current requirements.</li> <li>Arsenic-Free glass and Mercury-Free for the panel only.</li> </ul> |
| TEMPERATURE RANGE                     | <ul style="list-style-type: none"> <li>Operating: 0°C to 40°C (32°F to 104°F)</li> <li>Non-operating: -20°C to 60°C (-4°F to 140°F)</li> </ul>                                                                                                                                                                                                                                                                                                                                                   |
| HUMIDITY RANGE                        | <ul style="list-style-type: none"> <li>Operating: 10% to 80% (non-condensing)</li> <li>Non-Operating: 5% to 90% (non-condensing)</li> </ul>                                                                                                                                                                                                                                                                                                                                                      |
| ALTITUDE                              | <ul style="list-style-type: none"> <li>Operating: 5,000 m (16,400 ft) maximum</li> <li>Non-operating: 12,191 m (40,000 ft) maximum</li> </ul>                                                                                                                                                                                                                                                                                                                                                    |
| WHAT'S INCLUDED                       | <ul style="list-style-type: none"> <li>Monitor with stand</li> <li>Power cable</li> <li>1 x HDMI cable - 1.8 m</li> <li>QR card</li> <li>Safety Information</li> </ul>                                                                                                                                                                                                                                                                                                                           |
| STANDARD SERVICE PLAN                 | <ul style="list-style-type: none"> <li>(US/Canada) 1-year Advanced Exchange Service<sup>1</sup></li> <li>(WW) 3-year Advanced Exchange Service<sup>1</sup></li> </ul>                                                                                                                                                                                                                                                                                                                            |

<sup>1</sup> Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Dell, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/dell-monitor-27-ips-se2726h-akcija-cena/>